

# **Fire Weather Services**

**for**

## **South Carolina**

---

### **Operating Plan**

**NWS Charleston, SC**

**NWS Columbia, SC**

**NWS Greenville-Spartanburg, SC**

**NWS Wilmington, NC**

**2006**

---

This operating plan will be a semi-permanent document, specifying services provided by National Weather Service in South Carolina. The plan incorporates procedures detailed in the Interagency Agreement for Meteorological Services.

# Introduction

## Purpose of AOP

This Operating Plan serves as the official document governing the interaction and relationships between the National Weather Service offices that serve South Carolina, and the federal, state and local land management agencies in the state of South Carolina.

## Explanation of relationship between AOP and MOU

This State Operating Plan is issued in lieu of a formal Memorandum of Understanding (MOU) between the National Weather Service, US Forest Service, SC Forestry Commission, and other land management agencies that rely on fire weather support. The plan will also outline forecast operations and services available to users. This includes products and formats, dissemination and coordination, and the responsibilities of the customers.

This Operating Plan will be the governing document for fire weather procedures and cooperation among the following agencies:

- National Weather Service
- US Forest Service
- National Park Service
- South Carolina Forestry Commission
- US Army, Department of Defense
- Savannah River Site
- US Fish and Wildlife Service

This Operating Plan for Fire Weather Services conforms with the **Interagency Agreement for Meteorological Services**, concluded in October, 2002.

The Southern Area Mobilization Guide and the National Mobilization Guide further define the relationship between the wildland fire agencies and the NWS Incident Meteorologist.

## Partners, Customers and Users

Partners, customers and users shall be defined as any person, group, agency or body which uses the products and services provided by the NWS in support of fire operations.

# Service Area and Organizational Directory

## Service Area

The service area covered by this AOP is the entire state of South Carolina.

Forecast areas are tied to the "radar umbrella" of the WSR-88D Doppler Radar. The umbrella is the area which is covered by the radar volume scan. This means that forecasts are not bound by state political borders, although county borders are generally observed.

The South Carolina forecast areas (Figure 2 in the Appendix) are each covered by a different NWS Weather Forecast Office (WFO).

The counties covered by the WFO CHS (Charleston) include:

Allendale	Beaufort	Berkeley	Charleston
Colleton	Dorchester	Hampton	Jasper

The counties covered by the WFO CAE (Columbia) include:

Aiken	Bamberg	Barnwell	Calhoun
Chesterfield	Clarendon	Edgefield	Fairfield
Kershaw	Lancaster	Lee	Lexington
McCormick	Newberry	Orangeburg	Saluda
Sumter	Richland		

The counties covered by the WFO GSP include:

Abbeville	Anderson	Cherokee	Chester
Greenville	Greenwood	Laurens	Oconee
Pickens	Spartanburg	Union	York

The counties covered by the WFO ILM (Wilmington) include:

Darlington	Dillon	Florence	Georgetown
Horry	Marion	Marlboro	Williamsburg

## National Weather Service Headquarters

NWS Headquarters, located in Silver Spring, Maryland, establishes policies and coordinates the national fire weather program. The national program manager coordinates the program with the regional program managers. The national program manager also works with the national headquarters of the Federal forestry and land management agencies and the Association of State Foresters in determining overall forestry and land management requirements for meteorological support. The national program manager coordinates national training in forestry and fire weather for NWS forecasters.

## **National Weather Service Regional Headquarters**

Regional Headquarters manage the technical operational aspects of the fire weather program within each region. They also provide guidance and assistance to meteorologists-in-charge (MIC) on program operations and problems through Supplements to the National Directives System (NDS) and conferences. Regional Headquarters advise National Headquarters on matters pertaining to technical planning and operations. The regional program managers coordinate the regions' fire weather programs and advise the Regional Directors on the operational and administrative aspects of the regions' programs.

## **Weather Forecast Offices (WFO)**

Weather Forecast Offices prepare and disseminate forecast products for all sectors of the population, including those for the Fire Weather program. These offices are responsible for providing forecasts for user agencies within their County Warning and Forecast Area (CWFA). Most offices have a designated fire weather focal point or fire weather program leader.

The National Weather Service Weather Forecast Offices serving South Carolina will provide 24-hour, 365 days a year service. WFO's can be reached at:

**National Weather Service  
5777 South Aviation Avenue, Suite 202  
Charleston, South Carolina 29406**

**National Weather Service  
2909 Aviation Way  
Columbia, South Carolina 29170**

**National Weather Service  
1549 GSP Drive  
Greer, South Carolina 29651**

**National Weather Service  
2015 Gardner Drive  
Wilmington, North Carolina 28405**

NOTE: Unlisted telephone numbers used for coordination cannot be listed here. All user agencies have been or will be provided voice and fax numbers to be used for official purposes only.

### **Meteorologists-in-Charge (MIC)**

The Meteorologists-in-Charge are responsible for the provision of adequate forestry and fire weather services for the offices' assigned areas of program responsibility. The MIC's will ensure that the focal points or program leaders are provided adequate time for user liaison and assistance activities.

**Kim Campbell, Columbia, SC**

**Michael Caropolo, Wilmington, NC**

**Michael Emlaw, Charleston, SC**

**Larry Gabric, Greenville-Spartanburg, SC**

### **Program Leaders (or Focal Points)**

Fire weather focal points and program leaders are the "customer service representatives" for the program. The focal points or program leaders, as representatives of the MIC's, are in regular contact with land management agencies, helping them assess their meteorological needs, informing them of NWS products and services available to meet these needs, and educating them in the most effective use of the various NWS products and resources, including NOAA Weather Radio (NWR). Focal points and program leaders will work with users to utilize existing NWS products and services produced for other programs that could meet the requirements of wildland management. The focal points and program leaders are also tasked with ensuring staff meteorologists are trained and remain proficient in preparing forecast products for support of the fire weather program.

**Bruce Cherry, Columbia, SC**

**John Quagliariello, Wilmington, NC**

**John Tomko, Greenville-Spartanburg, SC**

**Steve Wilkinson, Bob Bright, Charleston, SC**

### **Participating Agencies**

The following agencies are participants of this operating plan:

**National Park Service.**

**National Weather Service.**

**National Park Service.**

**Savannah River Site.**

**South Carolina Forestry Commission.**

**United States Fish and Wildlife Service.**

**United States Forest Service.**

**U.S. Army, Department of Defense.**

# Services Provided by the National Weather Service

## Basic Services

### Routine Fire Weather Planning Forecasts (FWF)

#### *Issuance*

Routine Fire Weather Planning Forecasts are issued twice a day, by 0700 LT in the morning, and preferably by 1500 LT in the afternoon (no later than 1600L), every day of the year. Updates will be done as conditions warrant, and also generally at 11 AM, however, at night, updates will not be done when land managers are not on duty to utilize these forecasts.

#### *How Forecast is Issued and Accessed*

Forecasts will be issued from the Advanced Weather Interactive Processing System (AWIPS) at each NWS office, and sent over to the internet web page of the respective office. Customers may then access the forecast from the appropriate web page. In the event of an internet outage, the customers may call the NWS offices and have the forecast faxed to them. Customers will look for the routine 11 AM update on the internet. NWS WFO's will notify customers of non-routine updates.

#### *Content of the Forecast*

The format of the Fire Weather Forecast is specified in National Weather Service Directive 10-401. The forecast will start with a **headline** of **Red Flag Warnings** or **Fire Weather Watches** (or of meteorological trends), followed by a meteorological discussion. The forecast will then be broken down by zone groupings of counties expecting similar weather in the early forecast period (days one and two).

The morning forecast will include three periods; today, tonight, and tomorrow. The afternoon forecast will include four periods; tonight, tomorrow, tomorrow night, and the next day.

Each grouping will receive the following information for the early forecast period: a headline for Red Flag Warning or Fire Weather Watch, temperature (maximum for the day, and minimum for the night), relative humidity (minimum for the day, and maximum for the night), cloud cover, weather phenomena, probability of measurable precipitation (in percent), type of precipitation, and wind direction (using eight point compass) and speed (20 ft, 2 minute wind, utilizing a 10% reduction from the 10 m, 2 minute wind). The forecast may also include amount and duration of precipitation, Davis Stability Index (daytime only), mixing height, transport wind, ventilation rate, inversion onset time and burnoff time, and Lightning Activity Level.

Offices serving counties in North Carolina (GSP and ILM) may also include Haines Index, inversion burnoff temperature, and wind profile analysis (March through May).

At the bottom of the forecast, an extended forecast for days three through seven will be included which covers the entire forecast area (all zone groupings). This will be followed by a forecast of winds equal to or in excess of 15 mph for days three through five, which may be generalized, or specific, depending on forecast confidence. [\(TOP\)](#)

## **Site Specific Wildland Fire Forecasts (Spot Forecasts) (FWS)**

### ***Criteria***

Spot forecasts will be issued on request to any government agency for a wildfire. Requests for spot forecasts for non-wildfire purposes will only be honored from federal agencies, from non-federal government agencies operating within the bounds of an interagency agreement with the federal government, or from any non-federal government agency when public safety is at risk. Spot forecasts will typically cover three 12 hour periods (example: Today, Tonight, Tomorrow), but may cover fewer or more periods as the customer requests. Any forecast beyond day two will typically be an outlook.

### ***Contents***

The format of the Spot Forecast is specified in National Weather Service Directive 10-401. A spot forecast will be **headlined** for **Red Flag Warnings** or **Fire Weather Watches**. The forecast will then begin with a meteorological discussion, and will include any of the following information as designated by the requesting customer: temperature, relative humidity, wind direction and speed (20 ft, 2min), cloud cover, weather phenomena, probability of precipitation, type of precipitation, mixing height, and transport wind. Additional elements such as inversion setup time, Haines Index, or Lightning Activity Level may be requested by the customer.

### ***Procedures***

The requesting customer should go to the local NWS office internet home page, seek the fire weather web page, then select the procedure for requesting a spot forecast. The spot forecast request page is nationally standardized, and prompts the customer for information about the location, elevation, and size of the fire, as well as for observations and contact phone numbers. The location of the fire will then appear on a topographic map image, allowing both the requesting customer and the NWS forecaster to see its location. The customer may customize their request by highlighting which elements they need, and for which forecast periods. A remarks section allows the customer to ask for additional elements and or time period. In case of an internet outage, the customer may fax in a request, using form D-1. A call to the NWS office to alert them to the spot request is recommended.

Customers are reminded to provide as fresh an observation as possible. Requests made the night before a burn should be viewed as outlook forecasts, and a fresh forecast should be requested in the morning with a new observation.

The spot forecast will usually be issued within thirty minutes of a request, depending on current weather, and volume of spot forecasts. The completed spot forecast will be sent

out over the internet, and will be available on the same web site the customer used to request the forecast.

## **National Fire Danger Rating System (NFDRS) Forecasts (FWM)**

### **Issuance**

NFDRS forecasts will be issued for any predetermined site from which an NFDRS observation is received, provided the observation is received on time, is complete, and is deemed accurate. The land management agencies will determine which observation sites (normally RAWS sites) will be NFDRS sites. Initiation of NFDRS forecasts for a new site will be coordinated with the NWS, and the agency requesting new NFDRS service will provide the NWS with information about the site location.

### **Contents**

The format of the NFDRS Forecast is specified in National Weather Service Directive 10-401. The NFDRS forecast will be a forecast of the next day observation at 1300 LT. The forecast will include expected state of weather, temperature, relative humidity, wind speed and direction ( to 16 points) at 1300 LT. The forecast also includes the expected lightning activity level for the next day and a half, the 24 hour maximum and minimum temperature and relative humidity, the 24 hour precipitation duration, and whether fuels will be wet (wet flag) at 1300 LT.

### **Procedures**

The land management agencies are responsible for taking, quality controlling, transmitting and archiving the NFDRS observations. Observation must be received at the NWS in a timely manner. Forecasts will only be prepared for predetermined sites, and only from those sites for which an observation has been received. The NWS will prepare and transmit the NFDRS forecasts no later than 4 PM. Although the data cutoff time for ingest into the NFDRS software is 7 PM, preliminary calculations based on the forecast are used by the land managers to make staffing decisions at shift briefing time (4 PM).

## **Fire Weather Watch and Red Flag Program (RWF)**

### ***Criteria***

A Red Flag event is defined as a combination of high (or greater) fire danger and critical weather elements. For South Carolina, the two or more of the following weather criteria must be occurring or expected, in addition to high (or greater) fire danger. Wind criteria are for 10 meter, 2 minute average wind. A 10% reduction must be applied to the criteria when comparing against the FWF wind, which is a 20 ft 2 minute average wind.

Relative Humidity of 25% or less.

Sustained wind of 20 mph or greater, or gusts to 30 mph or greater.

Dry lightning.

A significant wind shift during times of active fire suppression.

Fire danger will be assessed by the land management agencies, and will be obtained from them by the National Weather Service.

If Red Flag criteria are occurring, or expected within 24 hours, a Red Flag Warning will be issued, and will remain in effect until the conditions abate or are no longer expected.

If Red Flag criteria are expected within 12 to 72 hours, a Fire Weather Watch will be issued, and will remain in effect until the watch is upgraded to a Red Flag Warning, or conditions are no longer expected to develop.

### ***Contents***

The format of the Red Flag Warning and Fire Weather Watch is specified in National Weather Service Directive 10-401. A Red Flag Warning or Fire Weather Watch will begin with a headline stating which product is in effect, the area the product covers, and the meteorological reason why the product was issued.

### **Procedures**

When ever the meteorological criteria for a Red Flag event are occurring or expected to occur within 72 hours, the NWS office will contact the land management agencies to obtain a determination of fire danger. If the the combined fire danger rating and meteorological criteria warrant a Red Flag product, the NWS and land management agencies will reach a consensual on whether to issue the product, and for which areas at which times.

### **SC Red Flag Fire Alert**

A Red Flag Fire Alert will be issued by the South Carolina Forestry Commission (SCFC) with the meteorological input from the NWS Forecast Office in Columbia. The Alert will be issued when conditions that support potentially destructive forest fires are worsening. It will continue in effect until the SCFC cancels it.

The NWS office in Columbia, South Carolina, will transmit Red Flag Fire Alerts for all of South Carolina, as a cooperative service to the SCFC. These will be delivered under the product header, Rangeland Fire Danger Statement. The text will be preformatted, with the body of the alert written by the SCFC.

## **Fire Danger Statements and Blow-Up Alerts**

When fire danger or fire occurrence is high and is coupled with critical weather conditions, user agencies may request that the NWS issue a Fire Danger Statement or Blow-Up Alert. These statements will be issued in coordination with the requesting agency and will only be issued with their approval. The NWS will use the Special Weather Statement (SPS) for these issuances.

## **Participation in Interagency Groups**

The NWS and its customers will meet from time to time, for the purpose of reviewing the operational relationships agreed to in this plan, and as partners in other interagency meetings.

Meetings may be between one NWS office and all of its customers from several states, a state meeting of all NWS offices and fire weather customers within South Carolina, or a meeting conducted by a customer group with the NWS offices invited either individually or collectively.

Customers may at times invite NWS representatives to serve on an interagency group at either the state or national level. These groups may serve a variety of purposes, such as program review, service evaluation, scientific advisory, or joint decision making.

## **Special Services**

Special fire weather services are those services that are uniquely required by land management agencies and go beyond the normal forecast operations of the NWS. Special services include the Advanced Technology Meteorological Unit (ATMU), the All Hazards Meteorological Response System (AMRS), Incident Meteorologist (IMET) deployment, station visits, weather observer training, participation in user agency personnel training, and other pertinent meteorological services.

Typically, special services require NWS personnel to be away from the Forecast Office and, in some instances, be in overtime status. User agencies are responsible for covering the cost of NWS overtime, travel and per diem expenses. Reimbursement of costs for special services will be as outlined in the Interagency Agreement for Meteorological Services.

## **Advanced Technology Meteorological Unit (ATMU) Services**

The Advanced Technology Meteorological Unit (ATMU) is a modularized and mobile system of equipment used by an Incident Meteorologist (IMET) for data collection and product preparation. The ATMU is a national resource. There are 25 ATMUs cached around the country, mostly in the western states. The nearest ATMU cache (Figure 3 in the Appendix) to South Carolina is London, KY, where two are maintained.

The ATMU consists of two (2) modules. The first module contains a theodolite with tripod, a belt weather kit, Pibal weather balloons, a nozzle and regulator for a helium tank, and office supplies and miscellaneous expendables. Its volume is 13.8 cubic feet and it weighs 122 pounds.

The second module, known as the AMRS, contains a laptop computer, a satellite dish for obtaining weather data, and a printer. This module is also a national resource, but is located at the National Weather Service offices that have an IMET on station. The volume of the satellite dish is 13.8 cubic feet, and it weighs 122 pounds.

Requests for the ATMU, AMRS, and IMET should be made through the local Interagency State Coordination Center. Typically, the IMET nearest the incident will be deployed. However, during times of limited resources, IMETs from other areas of the country may be called. This decision will be made by the Special Meteorologist to NIFC (SMN) in conjunction with the MIC and IMET from the affected offices.

The mobilization of the ATMU, AMRS and the IMET is coordinated through the local State Interagency Coordination Center, the Southern Area Interagency Fire Cache, and the Southern Area Coordination Center (SACC). Demobilization is initiated at the incident, and coordinated through the Coordination Centers previously mentioned. For more specific information, reference the Southern Area and the National Interagency Mobilization Guides.

The requesting agency is responsible for any storage of the unit while in transit, and shelter for the IMET and unit at the site. A sheltered work area, of at least 50 square feet with a table and chair, must be protected from excessive dust, free of standing water or condensation, and must be heated and/or cooled sufficiently to allow efficient operation of equipment. Power (120V AC) must be provided for the ATMU's electrical equipment and priority telephone access during certain short periods each day must be made available.

Upon arrival at the incident and after going through the appropriate check-in procedures, the IMET will:

1. Brief the Fire Behavior Analyst (FBAN), Planning Section Chief (PSC), and the Incident Commander (IC) on current and expected weather as it affects the fire.
2. Establish a schedule with the IC and the FBAN for written forecasts and formal briefings.
3. Request a briefing of the fire situation and potential behavior problems from the FBAN. As time and resources permit, incident management should arrange for an aerial inspection trip for the meteorologist and should provide the forecaster with current fireline maps. If possible, the IMET should be assigned a radio with the fireline frequency.
4. Arrange for a schedule of observations from key points around the fire and from nearby lookouts and fire danger stations, in cooperation with the FBAN and PSC. On large fires, some personnel (at least two) should be permanently assigned to

this duty. On smaller fires, this information can be provided by Division Supervisors equipped with belt weather kits.

## **Fire Weather Training**

NWS meteorologists will be available to assist in user-oriented training, such as at fire behavior schools (e.g. S-290), and weather related courses. Requests should be made through the Meteorologist-in-Charge as early as possible after dates for such training have been determined.

## **Other Special Services**

Other special services include weather station visits by user agency personnel, weather observer training, and course development work. These activities would typically be at the full expense of the requesting agency unless other arrangements have been made.

## **Communications**

The primary means of communication used by the NWS is Advanced Weather Interactive Processing System (AWIPS). Products transmitted through AWIPS include: pre-suppression forecasts, Fire Weather Watches, Red Flag Warnings, Fire Danger statements, and NFDRS station forecasts.

Spot forecasts will be disseminated to the requesting agency by means of the internet, with telefax (FAX) as a backup. Anytime a request for a spot forecast is made by fax, the requesting agency must include a FAX number. A voice number should also be included in the event problems or questions arise with the request, the forecast, or the transmission.

Public products produced by the National Weather Service are available over NOAA Weather Radio (NWR). As of January 31, 2003, the following NWR transmitters service South Carolina (Figure 1):

Site, Call Sign, Frequency, NWS Office:

BARNWELL, KHC29, 162.500, COLUMBIA, SC  
BEAUFORT, WXJ23, 162.475, CHARLESTON, SC  
CHARLESTON, KHB29, 162.550, CHARLESTON, SC  
CHERAW, WXK90, 162.450, COLUMBIA, SC  
COLUMBIA, WXJ20, 162.400, COLUMBIA, SC  
CONWAY/MYRTLE BEACH, KEC95, 162.400, WILMINGTON, NC  
CROSS, WXM93, 162.475, CHARLESTON, SC  
FLORENCE, WXJ22, 162.550, WILMINGTON, NC  
GREENVILLE, WXJ21, 162.550, GREENVILLE/SPARTANBURG, SC  
KIRKSEY, KHC28, 162.425, GREENVILLE/SPARTANBURG, SC  
ORANGEBURG, KHA35, 162.525, COLUMBIA, SC

ROCK HILL, KHC27, 162.425, GREENVILLE/SPARTANBURG, SC  
SUMTER, WWG77, 162.475, COLUMBIA, SC

AUGUSTA, GA, W XK54, 162.550, COLUMBIA, SC  
CLAYTON, GA, KXI81, 162.450, GREENVILLE/SPARTANBURG, SC  
SAVANNAH, GA, KEC85, 162.400, CHARLESTON, SC  
TOCCOA, GA, WWH24, 162.425, GREENVILLE/SPARTANBURG, SC  
WAYNESBORO, GA, WXM88, 162.425, COLUMBIA, SC

CHARLOTTE, NC, WXL70, 162.475, GREENVILLE/SPARTANBURG, SC  
FAYETTEVILLE, NC, WXL50, 162.475, RALEIGH/DURHAM, NC  
LUMBER BRIDGE, NC, WWF89, 162.525, WILMINGTON, NC  
BADIN, NC, WWF60, 162.425, RALEIGH/DURHAM, NC




Figure 1: Map of transmitters which service South Carolina

Other means of communications may be utilized upon mutual agreement with user agencies.

# **Wildland Fire Agency Responsibilities**

## **Operational Support and Predictive Services**

### **Program Management**

The wildland fire agencies will oversee the fire weather observation program, including the siting and maintenance of the observing equipment, fire weather training of their personnel, and the proficiency of their personnel in the use of the NWS Spot software.

### **Monitoring, Feedback and Improvement**

Land management agencies will monitor the quality and timeliness of NWS fire weather products, and provide feedback to the NWS in order to improve services to the agencies.

### **Technology Transfer**

The wildland fire agencies may, from time to time, advise the NWS of new technologies being implemented to monitor meteorological or fuel parameters, or to improve communication, coordination, training, or reference. Wildland fire agency personnel may, with prior arrangement, visit an NWS office to acquire a knowledge of NWS technologies used in the monitoring of weather, or the preparation of products.

### **Agency Computer Resources**

Internet will be the primary method of obtaining the Fire Weather Forecast, Red Flag Warning, Fire Weather Watch, and for both requesting and receiving a Spot Forecast. As a backup method, a request can be made to the weather service for a product to be faxed to the customer agency. NFDRS observations will be entered into WIMS, and forecasts and calculations based on these observations will be received by WIMS, or by internet via a WIMS website.

### **Fire Weather Observations**

Fire weather observation stations provide the specialized weather observations for fire weather forecasts, wildfire control and suppression, and various other land management operations. These stations were selected very carefully in each state and federal district. Sites were chosen to represent homogeneous weather conditions across a district. Stations may either be manned sites operated by land management agencies, or unmanned, Remote Automatic Weather Stations (RAWS) maintained by any of the federal or state land management agencies in the area.

All observation stations are assigned a 6-digit identification/location number. The first two digits indicate the state, the second two digits indicated the county, and the last two digits indicated the consecutively-assigned station number for that county. Land

managers who wish to have a number assigned to a station should contact the GACC meteorologist at SACC in Atlanta.

RAWS stations are also assigned an 8 character alphanumeric identifier based on satellite transmission time (the DCP number, issued by the National Environmental Satellite Service (NESS)).

Observations from a satellite telemetered RAWS will automatically flow into WIMS via the NESDIS ID. Observations are only entered manually if the RAWS is neither satellite telemetered, nor a participant on the WIMS hub. The RAWS owner must enter WIMS and manually change a recorded observation (an R ob) to an observed observation (an O ob), manually enter the state of the weather, and save the observation to WIMS.

It is the responsibility of the RAWS (station) owner to ensure that observations are transmitted, recorded and archived in WIMS. While the process is largely automated by the use of telemetry equipment on the RAWS station, there are still manual inputs that must be made in WIMS in a timely manner by the station owner to ensure that RAWS observations flow to the NWS on schedule. NFDRS forecasts are based on RAWS observations that are received from a collective created by WIMS and distributed to the NWS via AWIPS.

Every effort should be made to ensure the quality of the observations before entry into WIMS. If the observation is known to be in error, it should not be entered into the system, or should be corrected by the RAWS owner.

### **On - Site Support**

The user agencies are also responsible for maintaining observation site equipment. NWS personnel may accompany the user on maintenance trips or for annual inspection visits, which could also serve as liaison with the users.

### **Training**

The responsibility of training land management agency employees will be that of the agencies themselves. However, the NWS will be available to assist when requested to do so. Any expenses incurred by the NWS will normally be charged to the user agency, unless other arrangements have been made.

# **Joint Responsibilities**

Joint responsibilities include the following:

## **Meetings between the NWS offices and the land management agencies**

At least one statewide meeting should be attempted each year, usually coordinated by the NWS State Liaison Office in Columbia. Individual NWS offices normally conduct a meeting with all of their customers, from all affected states, either each year or every other year.

## **Maintenance and revision of the SC Annual Operating Plan**

The AOP should be revised each year by the end of January, with cooperation and participation from each NWS office and land management agency.

## **Agreements on services provided**

Agreements are normally reached at statewide meetings, but may be achieved by a series of local meetings or by other means such as telephone or e-mail. NWS offices and land managers should be aware of the ripple effect an agreement might have on other NWS offices or customers.

## **Training**

Land management agencies and the NWS collaborate on training of personnel in each others fields of expertise, operations, and equipment. Visits to offices and work centers, as well field job sites can meet part of these training requirements.

## **Service evaluation**

Services provided by the NWS, and delivery of observations and information from the land management agencies to the NWS in support of these services, shall be under constant evaluation by both parties.

## **Numbering and archiving of observation stations**

The GACC, when requested to do so by a land management agency, shall assign a station ID number for fire weather observation platforms.

The land management agency will provide the station name, location (county, latitude, and longitude), and elevation to the GACC meteorologist.

The GACC meteorologist will assign the number and assist the station owner in establishing a station catalog in WIMS.

The numbering convention uses a six digit number, starting with 38 (for SC). The following two digit number designates the county, and the counties are numbered from 01 in the northwest, to 46 in the southeast. Due to a past mistake made in numbering, the far southeastern portion of the state does not follow the convention to the letter, but the traditional number have been preserved in the master map.

The GACC meteorologist is responsible for maintaining a database of RAWS stations in his area. This information can be provided to the NWS regional program manager upon request.

The master list for the state will be the list included in the appendix of this operating plan, which will be updated at least annually with any new or changed stations. A copy of the county numbering map for the state of SC will be kept on file at the GACC and each NWS office serving SC.

## **Effective Dates on the AOP**

The effective dates of this South Carolina Annual Operating Plan will be from January 1 through December 31 of the current calendar year. This plan will be subject to review and revision by all signatory parties each year, or more frequently as operations warrant.

The plan will be available on the fire weather homepage of each NWS office in SC. A copy will be forwarded to NWS Eastern Region Headquarters by Jan 31 of the current year. NWS Eastern Region will forward a copy to NIFC and NWS Headquarters.

## **Signature Page**

**The following signatories have accepted this Annual Operating Plan for South Carolina, dated January 31, 2005. Terms and conditions in this plan are subject to review by the National Weather Service and the land management agency customers on at least an annual basis, or more frequently as operations require.**

**Dave Kuhn, Francis Marion and Sumter National Forests, Center Manger, SC  
Interagency Coordination Center**

**Bruce E. Cherry, Fire Program Leader, NWS Columbia, SC**

**Stephen C. Wilkinson, Fire Program Leader, NWS Charleston, SC**

**John A. Tomko, Fire Program Leader, NWS Greenville-Spartanburg, SC**

**John Quagliariello, Fire Program Leader, NWS Wilmington, NC**


**Denver S. Ingram, Predictive Services, Southern Area Coordination Center**

# Appendices

**Interagency Agreement for the Meteorological Services in Support of Agencies with Land and Fire Management Responsibilities (Available at: <http://www.erh.noaa.gov/er/gsp/fire/SC06/2002agree.htm>)**

## Fire Weather Zone Maps

Fire weather zones in South Carolina will consist of individual counties or groups of counties. These groupings will be dictated by meteorological conditions, may change with each forecast issuance, and may contain counties in adjacent states served by the forecast office. Normally, zone groupings are associated with climatologically homogeneous areas, even with current meteorological reasoning taken into account.



**Figure 2: Map of SC fire weather zones and the NWS offices that serve them**

## **Catalog of Fire Weather Observation Sites**

### **Name (Agency), County, Station Number, Latitude, Longitude, Elevation**

ANDREW PICKENS (USFS), Oconee Co., 380102, 34.8000 N, 83.2000 W, 1600'

WHITMIRE (USFS), Union Co., 380902, 34.6330 N, 81.6000 W, 400'

LONG CANE (USFS), Edgefield Co., XXXXXX, 33.5500 N, 82.0800 W, 430'

SAVANNAH NWR (USFWS), Jasper Co., 384201, 32.1000 N, 81.0833 W, 10'

WITHERBEE (USFS), Berkeley Co., 384002, 33.1630 N, 79.8319 W, 75'

SAVRAW (USFS/SRS), Barnwell Co., 383701, 33.3110 N, 81.5905 W, 310'

SAVRIV (USFS/SRS), Aiken Co., 383101, 33.3630 N, 81.6836 W, 390'

FORT JACKSON DOD FIRE TOWER (DOD), Richland Co., 382601, 34.0100 N, 80.5200 W, 350'

FORT JACKSON DOD LEESBURG (DOD), Richland Co., XXXXXX, 34.0396 N, 80.7396 W, 70'

CAROLINA SANDHILLS NWR (USFWS), Chesterfield Co., 381201, 34.3000 N, 80.1300 W, 400'

MARION (SCFC), Marion Co, 382901, 34.1100 N, 79.2000 W, 93'

CONGAREE NP(NPS), Richland Co., XXXXXX, 33.4600 N, 80.4700 W, 150'

WALTERBORO (SCFC), Colleton Co., 384601, 32.5500 N, 80.3700 W, 99'

WAMBAW (USFS), Berkeley, Co., XXXXXX, 33.0500 N, 79.2800 W, 15'

# Catalog of Fire Weather Observation Sites

## ATMU CACHE SITES




Figure 3: ATMU Cache Sites